

## Enviro-Safe ProDry & Air Enhancer Inject

1

### PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier:** Enviro-Safe ProDry & Air Enhancer Inject  
**SDS Number:** 2051AI  
**Revision Date:** 3/19/2021  
**Version:** 2.0  
**Product Description:** Eliminates acid and boosts cooling in A/C systems.  
**Supplier Details:** Enviro-Safe Refrigerants, Inc.  
 400 Hanna Dr.  
 Pekin, IL 61554  
**Contact:** Randy Price  
**Phone:** 309-346-1110  
**Fax:** 309-346-1237  
**Email:** info@es-refrigerants.com  
**Internet:** www.es-refrigerants.com  
**Emergency:** CHEMTREC 1-800-424-9300

2

### HAZARDS IDENTIFICATION

#### Classification of Substance

**GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):**  
 Physical, Flammable Liquids, 2

#### GHS Label Elements, Including Precautionary Statements

**GHS Signal Word:** **DANGER**

**GHS Hazard Pictograms:**



#### GHS Hazard Statements:

H225 - Highly flammable liquid and vapour

#### GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces.  
 P233 - Keep container tightly closed.  
 P240 - Ground/bond container and receiving equipment.  
 P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
 P242 - Use only non-sparking tools.  
 P243 - Take precautionary measures against static discharge.  
 P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
 P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.  
 P403 + P235 - Store in a well-ventilated place. Keep cool.  
 P501 - Dispose of contents/ container to an approved waste disposal plant.

3

### COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients:		
CAS#	%	Chemical Name:
64-17-5		Ethyl alcohol
64742-54-7		Distillates, petroleum, hydrotreated heavy paraffinic

## Enviro-Safe ProDry & Air Enhancer Inject

4

### FIRST AID MEASURES

- Inhalation:** If symptoms develop, move to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, seek medical attention.
- Skin Contact:** Remove contaminated clothing and wash before reuse. Wash with soap and water. Get medical attention if needed.
- Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
- Ingestion:** Do not induce vomiting. Immediately call a POISON CENTER or doctor/physician.

#### 4.1. Description of First Aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

#### 4.2. Most Important Symptoms and Effects, Both Acute and Delayed

**Symptoms/Injuries:** Redness, pain, swelling, itching, burning, tearing, and blurred vision.

**Symptoms/Injuries After Inhalation:** May cause respiratory irritation.

**Symptoms/Injuries After Skin Contact:** May cause skin irritation.

**Symptoms/Injuries After Eye Contact:** May cause serious eye irritation.

**Symptoms/Injuries After Ingestion:** May be fatal if swallowed and enters airways.

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice!

5

### FIRE FIGHTING MEASURES

#### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Dry powder, foam, carbon dioxide.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Highly flammable liquid and vapor. Vapor may travel to source of ignition and flash back.

**Explosion Hazard:** May for flammable/explosive vapor-air mixture.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

#### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

6

### ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray). Use special care to avoid static electric charges. Keep away from heat, sparks, open flames, hot surfaces. No smoking.

##### 6.1.1. For Non-emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

##### 6.1.2. For Emergency Responders

**Protective Equipment:** Equip clean up crew with proper protection.

**Emergency Procedures:** Stop leak if safe to do so. Eliminate ignition sources. Ventilate area.

#### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and Material for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

#### 6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

## Enviro-Safe ProDry & Air Enhancer Inject

7

### HANDLING AND STORAGE

**Handling Precautions:**

7.1. Precautions for Safe Handling  
Precautions for Safe Handling: Take precautionary measures against static discharge. use only non-sparking tools. keep away from heat, sparks, open flames, hot surfaces. No smoking.  
Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.  
Additional hazards when Processed: Handle empty containers with care because residual vapors are flammable. Ensure there is adequate ventilation.

**Storage Requirements:**

7.2. Conditions for Safe Storage, Including Any Incompatibilities  
Technical Measures: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.  
Storage Conditions: Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible material. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.  
Incompatible Products: Strong acids, bases, and oxidizers.

8

### EXPOSURE CONTROLS/PERSONAL PROTECTION

**Personal Protective Equipment:**

Ethyl alcohol cas#:(64-17-5) []

Personal protective equipment

Eye/face protection: Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact: Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject (KCL 897 / Aldrich Z677647, Size M)

Splash contact: Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 38 min Material tested:Dermatril P (KCL 743 / Aldrich Z677388, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection: impervious clothing, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Ethyl alcohol cas#:(64-17-5)

Components with workplace control parameters

TWA 1,000 ppm USA. ACGIH Threshold Limit Values (TLV)

Upper Respiratory Tract irritation  
Confirmed animal carcinogen with unknown relevance to humans

TWA 1,000 ppm USA. Occupational Exposure Limits

## Enviro-Safe ProDry & Air Enhancer Inject

1,900 mg/m<sup>3</sup> (OSHA) - Table Z-1 Limits for Air Contaminants

The value in mg/m<sup>3</sup> is approximate.

TWA 1,000 ppm USA. NIOSH Recommended Exposure Limits  
1,900 mg/m<sup>3</sup>

### 9 PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Yellow-green	<b>Odor:</b>	Hydrocarbon odor
<b>Physical State:</b>	Liquid	<b>Solubility:</b>	No data available
<b>Odor Threshold:</b>	No data available	<b>Freezing or Melting Point:</b>	.114.14 °C (-173.45 °F)
<b>Specific Gravity or Density:</b>	0.7893 g/cm at 20 °C	<b>Flash Point:</b>	No data available
<b>Viscosity:</b>	No data available	<b>Vapor Density:</b>	No data available
<b>Boiling Point:</b>	78.29 °C (172.92 °F)	<b>Autoignition Temperature:</b>	No data available
<b>Partition Coefficient:</b>	No data available	<b>Upper Flammability Limit and Lower Flammability Limit:</b>	No data available
<b>Vapor Pressure:</b>	No data available		
<b>Potentia Hydrogenii:</b>	No data available		
<b>Evaporation Rate:</b>	No data available		
<b>Decompression Temperature:</b>	No data available		

### 10 STABILITY AND REACTIVITY

<b>Reactivity:</b>	May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
<b>Chemical Stability:</b>	Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture
<b>Conditions to Avoid Identification:</b>	Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.
<b>Materials to Avoid Identification:</b>	Strong acids. Strong bases. Strong oxidizers.
<b>Hazardous Polymerization:</b>	Hazardous polymerization will not occur.

### 11 TOXICOLOGICAL INFORMATION

Ethyl alcohol cas#:(64-17-5)

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 7,060 mg/kg Remarks: Lungs, Thorax, or Respiration:Other changes.

LC50 Inhalation - rat - 10 h - 20000 ppm

Dermal: no data available

Skin corrosion/irritation: Skin - rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation: Eyes - rabbit Result: Mild eye irritation - 24 h (OECD Test Guideline 405)

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

Carcinogenicity - mouse - Oral:

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Liver:Tumors. Blood:Lymphomas including Hodgkins disease.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Reproductive toxicity - Human - female - Oral:

Effects on Newborn: Apgar score (human only). Effects on Newborn: Other neonatal measures or effects. Effects on Newborn: Drug dependence.

## Enviro-Safe ProDry & Air Enhancer Inject

Specific target organ toxicity - single exposure: no data available  
 Specific target organ toxicity - repeated exposure: no data available  
 Aspiration hazard: no data available  
 Additional Information: RTECS: KQ6300000

Central nervous system depression, narcosis, Damage to the heart., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.  
 Stomach - Irregularities - Based on Human Evidence

### 12 ECOLOGICAL INFORMATION

Ethyl alcohol cas#:(64-17-5)

Information on ecological effects:

Toxicity: no data available  
 Persistence and degradability: no data available  
 Bioaccumulative potential: no data available  
 Mobility in soil: no data available  
 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted  
 Other adverse effects: no data available

### 13 DISPOSAL CONSIDERATIONS

Ethyl alcohol cas#:(64-17-5)


Waste treatment methods

Product: Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging: Dispose of as unused product.

### 14 TRANSPORT INFORMATION

**14.1. In Accordance with DOT**  
 Consumer Commodity ORM-D



**14.2. In Accordance with IMDG**  
**Proper Shipping Name:** ETHANOL (ETHYL ALCOHOL) **Hazard Class:** 3  
**Identification Number:** UN1170

**Packing Group:** II  
**Label Codes:** 3

**EmS-No. (Fire):** F-E  
**EmS-No. (Spillage):** S-D

**14.3. In Accordance with IATA**  
**Proper Shipping Name:** ETHYL ALCOHOL  
**Packing Group:** II  
**Identification Number:** UN1170  
**Hazard Class:** 3  
**Label Codes:** 3  
**ERG Code (IATA):** 3L



## Enviro-Safe ProDry & Air Enhancer Inject

15

### REGULATORY INFORMATION

[%] RQ (CAS#) Substance - Reg Codes

[--%] Ethyl alcohol (64-17-5) MASS, OSHAWAC, PA, TSCA, TXAIR

[--%] Distillates, petroleum, hydrotreated heavy paraffinic (64742-54-7) NJHS, TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

#### Regulatory Code Legend

MASS = MA Massachusetts Hazardous Substances List

OSHA WAC = OSHA Workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

TSCA = Toxic Substances Control Act


TXAIR = TX Air Contaminants with Health Effects Screening Level

NJHS = NJ Right-to-Know Hazardous Substances

16

### OTHER INFORMATION

HMIS	
HEALTH	<input type="checkbox"/> <input type="checkbox"/>
FLAMMABILITY	<input type="checkbox"/>
PHYSICAL HAZARD	<input type="checkbox"/>
PERSONAL PROTECTION	J



Disclaimer: Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

Author: Jeanette Akright

Publication Date: 3/20/2020

Revision Date: 3/19/2021