

# Enviro-Safe 1234YF Arctic Air

## PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier:** Enviro-Safe 1234YF Arctic Air

 SDS Number:
 2091

 Revision Date:
 7/23/2021

 Version:
 2.0

**Product Use:** Boost A/C Cooling Performance

**Supplier Details:** Enviro-Safe Refrigerants

400 Hanna Dr. Pekin, IL 61554

 Contact:
 Randy Price

 Phone:
 309-346-1110

 Fax:
 309-346-1237

Email: info@es-refrigerants.com
Internet: www.es-refrigerants.com
Emergency: CHEMTREC 1-800-424-9300

### HAZARDS IDENTIFICATION

#### Classification of Substance

2

3

#### GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Gases, 1

Physical, Gases Under Pressure, Compressed Gas

### GHS Label Elements, Including Precautionary Statements

GHS Signal Word: DANGER

#### **GHS Hazard Pictograms:**





#### **GHS Hazard Statements:**

H220 - Extremely flammable gas

H280 - Contains gas under pressure; may explode if heated

OSHA-H01 - May displace oxygen and cause rapid suffocation

## **GHS Precautionary Statements:**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 - In case of leakage, eliminate all ignition sources.

P403 - Store in a well-ventilated place.

P410 + P403 - Protect from sunlight. Store in a well-ventilated place.

#### COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients:		
CAS#	%	Chemical Name:
68476-85-7 64742-52-5		Petroleum gases, liquefied Distillates, petroleum, hydrotreated heavy naphthenic





## **Enviro-Safe 1234YF Arctic Air**

## FIRST AID MEASURES

Inhalation: When symptoms occur: go inot open air and ventilate suspected area. Immediately call a POISON CENTER or doctor/physician. **Skin Contact:** 

If frostbite or freezing occurs, immediately flush with plenty of lukewarm water to GENTLY warm the affected area. Do not use

hot water. Do not rub affected area. Get immediate medical attention.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER or doctor/physician.

**Ingestion:** Do not induce vomiting. Immediately call a POISON CENTER or doctor/physician.

#### 4.1. **Description of First Aid Measures**

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

#### Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms/Injuries: Gas can be toxic as simple asphyxiant by displacing oxygen from the air. Refrigerated liquefied gas. Contact with product may cause cold burns or frostbite.

Symptoms/Injuries After Inhalation: Asphyxiate gas.

Symptoms/Injuries After Skin Contact: May cause frostbite. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Contact with the liquefied gas causes frostbite. Symptoms/Injuries After Ingestion: Ingestion is an unlikely route of exposure for a gas.

#### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

### FIRE FIGHTING MEASURES

#### 5.1. **Extinguishing Media**

5

6

Suitable Extinguishing Media: Dry chemical powder, alcohol-resistant foam, carbon dioxide.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy water stream may spread fire.

### Special Hazards Arising from the Substance or Mixture

Fire Hazard: Flammable gas.

Explosion Hazard: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Reactivity: Contains gas under pressure; may explode if heated. Reacts with strong oxidants causing fire and explosion hazard.

### **Advice for Firefighters**

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including repiratory protection.

## ACCIDENTAL RELEASE MEASURES

## Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Use special care to avoid static electric charges. Keep away from open flames, hot surfaces and sources of ignition. No smoking. Do not get ineyes, on skin, or on clothing.

#### No Non-emergency Personnel 6.1.1.

Protective Equipment: Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel. Eliminate ignition sources.

#### 6.1.2. **For Emergency Responders**

Protective Equipment: Equip clean up crew with proper protection. **Emergency Procedures:** Stop Leak if safe to do so. Ventilate area.

#### **Environmental Precautions**

Avoid release to the environment

#### Methods and Material for Containment and Cleaning Up 6.3.

For Containment: Stop leak without risks if possible. Do not take up in combustible material such as: sa dust or cellulosic material.

Methods for CLeaning Up: Contact competent authorities after a spill.

#### **Reference to Other Sections**

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SDS Number: 2091 Page: 2/6 Revision Date: 7/23/2021





**Storage Requirements:** 

8

# **Enviro-Safe 1234YF Arctic Air**

### HANDLING AND STORAGE

**Handling Precautions:** 7.1. Precautions for Safe Handling

Precautions for Safe Handling: Personnel should be trained to regularly inspect equipment such as pumps, hoses, and valves. Do not breathe gas. Ensure there is adequate ventilation. Close valve after each use and when emptyl

Open valve slowly to avoid pressure shock.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Keep at temperatures below 52C/125F.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep in fireproof place. Store locked up.

7.3. Specific End Use(s): Boost A/C Cooling Performance

#### EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Alarm detectors should be used when toxic gases may be released. Emergency eye wash fountains and safety

showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local

regulations are observed.

**Personal Protective Equipment:** Petroleum gases, liquefied cas#:(68476-85-7)

Gas mask. Protective goggles. Gloves. Protective clothing.

Materials for Protective Clothing: Chemically resistant materials and fabrics. Hand Protection: Wear working gloves when handling gas containers.

Eye Protection: Safety glasses.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: use a NIOSH-approved self-contained breathing apparatus in oxygen deficient

atmospheres.

Thermal hazard Protection: Wear cold insulating gloves.

Petroleum gases, liquefied cas#:(68476-85-7)

USA ACGIH - ACGIH TWA (ppm): 1000ppm

USA NIOSH - NIOSH REL (TWA) (mg/m3): 1800mg/m3 USA NIOSH - NIOSH REL (TWA) (ppm): 1000ppm USA IDLH - US IDLH (ppm): 2100ppm (10% LEL) USA OSHA - OSHA PEL (TWA) (mg/m3): 1800mg/m3 USA OSHA - OSHA PEL (TWA) (ppm): 1000ppm

### PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Clear, colorless gas

Physical State:GasOdor:No data availableOdor Threshold:No data availableSolubility:No data available

Specific Gravity or Density: .540 Freezing or Melting Point: -166 °C (-267.1 °F)

Viscosity: No data available Flash Point: -104 °C (-155 °F)

**Boiling Point:** -34.7 °C **Vapor Density:** 1.76

Partition Coefficient:< 1Autoignition Temperature:  $862.8 \, ^{\circ}\text{C} \, (1585 \, ^{\circ}\text{F})$ Vapor Pressure: $70 \, @ \, 21.1 \, ^{\circ}\text{C}$ Upper Flammability Limit  $8.5 \, \% \, / \, 1.9 \, \%$ 

Opper Flammability Limit 6.5 % / 1.9 %

and Lower Flammability

Limit:

Potentia Hydrogenii: No data available

**Evaporation Rate:** Rapid

**Decompression** No data available

**Temperature:** 

9

SDS Number: 2091 Page: 3 / 6 Revision Date: 7/23/2021



# **Enviro-Safe Refrigerants, Inc.**

# **Enviro-Safe 1234YF Arctic Air**

## 10 STABILITY AND REACTIVITY

Reactivity: Contains gas under pressure; may explode if heated. Reacts with oxidants causing fire and explosion hazard.

Chemical Stability: Stable under recommended handling and storage conditions

**Conditions to AvoIdentification:** Direct sunlight. Extremely high or low temperatures. Open flame. Heat. Sparks.

Materials to AvoIdentification: Strong oxidizing agents.

Hazardous Decomposition:Carbon oxidesHazardous Polymerization:Will not occur

### 11 TOXICOLOGICAL INFORMATION

Petroleum gases, liquefied cas#:(68476-85-7)

Information on Toxicology Acute Toxicity: Not classified LC50 Inhalation Rat: 658mg/l/4h Petroleum Oil: > 2000 mg/kg LD 50 Oral Rat: > 2000 mg/kg LD50 Dermal Rat: > 2000 mg/kg LC50 Inhalation Rat: > 2000 mg/kg

Skin Corrosion/Irritation: Not classified Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitiation: Not classified Germ Cell Mutagenicity: Not classified Carcinogenicity: Not classified Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

## ECOLOGICAL INFORMATION

Petroleum gases, liquefied cas#:(68476-85-7)

Information on Ecology

Toxicity: No additional information

Persistence and Degradability: No additional information available

Bioaccumulative Potential ---Enviro-Safe Oil Charge 3

Log Pow: < 1

12

Petroleum gases, liquefied (68476-85-7)

Log Pow: 2.3

13

Mobility in Soil: No additional information available Other Adverse Effects: No additional information available

### DISPOSAL CONSIDERATIONS

Petroleum gases, liquefied cas#:(68476-85-7)

Information on Disposal

Waste Treatment Methods

Waste Disposal Recommendation: Dispose of waste in accordance with all local, regional, national, provincial, territorial and international regulations. Additional Information: Empty product containers may contain hazardous resideu. Do not reuse empty containers without commercial cleaning or reconditioning.

SDS Number: 2091 Page: 4 / 6 Revision Date: 7/23/2021



# **Enviro-Safe 1234YF Arctic Air**

## 14

## TRANSPORT INFORMATION

14.1. In Accordance with DOT

Proper Shipping Name: Consumer Commodity, ORM-D

14.2. In Accordance with IMDG

Proper Shipping Name: PETROLEUM GASES, LIQUEFIED

Hazard Class: 2

**Identification Number: UN1075** 

Label Codes: 2.1 EmS-No. (Fire): F-D EmS-No. (Spillage): S-U Marine Pollutant: No

14.3. In Accordance with IATA

Proper Shipping Name: PETROLEUM GASES, LIQUEFIED

**Identification Number: UN1075** 

Hazard Class: 2 Label Codes: 2.1 ERG Code (IATA): 10L Marine Pollutant: No





#### 15

## **REGULATORY INFORMATION**

[%] RQ (CAS#) Substance - Reg Codes

.....

[--%] Petroleum gases, liquefied (68476-85-7) MASS, OSHAWAC, PA, TSCA, TXAIR

[--%] Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5) NJHS, TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory Code Legend

-----

MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances

TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level

NJHS = NJ Right-to-Know Hazardous Substances


SDS Number: 2091 Page: 5 / 6 Revision Date: 7/23/2021



16

# **Enviro-Safe 1234YF Arctic Air**

**OTHER INFORMATION** 





Disclaimer: Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

J

Author: Jeanette Akright Publication Date: 7/23/2021

Revision Date: 7/23/2021